
1. A compound of Formula I

5

10



or a pharmaceutically acceptable salt thereof, wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is selected from the group consisting of H and methyl.

2. The compound as recited in claim 1 wherein:

 R_1 is H; and

R₂ is selected from the group consisting of H and methyl.

3. The compound as recited in claim 1 wherein:

R₁ is H; and

 R_2 is H.

4. The compound as recited in claim 1 wherein:

R, is H; and

R₂ is methyl.

25

5. The compound as recited in claim 1 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

6. The compound as recited in claim 1 wherein:

 R_1 is methyl; and

7.\The compound as recited in claim 1 wherein:

R₁ is methyl; and

5 R_2 is methyl.

10

44. 18. 52. of a 52. 12. 12. 12.


20

30

8. The compound as recited in claim 1 wherein:

 R_1 is selected from the group consisting of hydrogen and methyl; and R_2 is hydrogen.

9. The compound as recited in claim 1 represented by Formula II



J82

or a pharmaceutically acceptable salt thereof, wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is selected from the group consisting of H and methyl.

10. The compound as recited in daim 9 wherein:

R₁ is H; and

 R_2 is selected from the group consisting of R and methyl.

11. The compound as recited in claim 9 wherein:

R₁ is H; and

R, is H.

 R_2 is R_2

12. The compound as recited in claim 9 wherein:

R₁ is H; and

R₂ is methyl.

13. The compound as recited in claim 9 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of H and methyl.

- 14. The compound as recited in claim 9 wherein:
- 5 R₁ is methyl; and

R₂ is H.

15. The compound as recited in claim 9 wherein:


R₁ is methyl; and

- $10 R_2$ is methyl.
 - 16. The compound as recited in claim 9 wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is H.

17. The compound as recited in claim 1 represented by Formula III



20

or a pharmaceutically acceptable salt thereof, wherein:

R, is selected from the group consisting of H and methyl; and

R, is selected from the group consisting of H and methyl.

25 18. The compound as recited in claim 17 wherein:

R₁ is H; and

R, is selected from the group consisting of H and methyl

19. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is H.

20. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is methyl.

10

5

21. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

22. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is H.

23. The compound as recited in claim 17 wherein:

R₁ is methyl; and

 R_2 is methyl.

24. The compound as recited in claim 17 wherein:

R₁ is selected from the group consisting of hydrogen and methyl; and

R₂ is hydrogen.

25

30

- 25. A compound as recited in claim 1 wherein the compound is the S enantiomer.
- 26. A compound as recited in claim 1 wherein the compound is the R enantiomer.
- 27. A compound as recited in claim 1 wherein the compound is the E isomer.
- 28. A compound as recited in claim 1 wherein the compound is the Z isomer.